

# Public Document Pack



**Winchester**  
City Council

<b>Meeting</b>	Licensing Sub-Committee
<b>Date and Time</b>	Thursday, 24th July, 2025 at 11.00 am.
<b>Venue</b>	Walton Suite, Guildhall, Winchester and streamed live on YouTube at <a href="http://www.youtube.com/winchestercc">www.youtube.com/winchestercc</a>

## S U P P L E M E N T A R Y   A G E N D A

The attached document, relating to the agenda item below was not available at the time the agenda was published.

Agenda Item.

3. Application for a New Premises Licence - JD Wetherspoon, Unit F4 Whiteley Shopping Centre, Whiteley, Fareham, PO15 7PD (LR601) (Pages 3 - 4) – **Premises plan - distributed to the Sub Committee with permission of all parties**

City Offices  
Colebrook Street  
Winchester  
SO23 9LJ

**Laura Taylor**  
Chief Executive

All of the Council's publicly available agendas, reports and minutes are available to view and download from the Council's [Website](#) and are also open to inspection at the offices of the council. As part of our drive to minimise our use of paper we do not provide paper copies of the full agenda pack at meetings. We do however, provide a number of copies of the agenda front sheet at the meeting which contains the QR Code opposite. Scanning this code enables members of the public to easily access all of the meeting papers on their own electronic device. Please hold your device's camera or QR code App over the QR Code so that it's clearly visible within your screen and you will be redirected to the agenda pack.



24 July 2025


Agenda Contact: David Blakemore, Democratic Services Team Manager  
Tel: 01962 848 217 Email: [dblakemore@winchester.gov.uk](mailto:dblakemore@winchester.gov.uk)



This page is intentionally left blank

# Agenda Item 3

NOTE - Responsibility is not accepted for errors made by others in scaling from this drawing. All construction information should be taken from figured dimensions only.



## KEY

- F20 TWENTY MINS FIRE RESISTANT WITH SMOKE SEALS & INTUMESCENT STRIP
- F30 HALF HOUR FIRE RESISTANT WITH SMOKE SEALS & INTUMESCENT STRIP
- F60 ONE HOUR FIRE RESISTANT WITH SMOKE SEALS & INTUMESCENT STRIP
- VP VISION PANEL
- PP PANIC PAD
- PB PANIC BAR
- SC SELF CLOSING
- SCA SELF CLOSING AUTOMATIC RELEASE
- FL FUSIBLE LINK
- DS DOOR SELECTOR
- ☒ ILLUMINATED EMERGENCY FITTING WITH RUNNING PERSON SYMBOL & ARROW
- ☒ NON MAINTAINED EMERGENCY FLOOD LIGHTING CW BATTERY PACK
- S13 "FIRE DOOR KEEP SHUT" 10mm LETTERS TO BOTH SIDES OF DOOR LEAF
- S14 "FIRE DOOR KEEP LOCKED" 10mm LETTERS TO BOTH SIDES OF DOOR LEAF
- S20 "FIRE ESCAPE KEEP CLEAR" 10mm LETTERS TO BOTH SIDES OF DOOR LEAF
- S22 RUNNING PERSON SYMBOL & ARROW
- S25 "PUSH BAR TO OPEN" 20mm LETTERS
- S26 DIRECTIONAL ARROW (GREEN)
- FRG FIRE RESISTING GLAZING ELEMENT
- ☒ AREA COVERED BY ESCAPE LIGHTING TO BS:5266, PART 1
- SD AREA COVERED BY SMOKE DETECTOR
- HD AREA COVERED BY HEAT DETECTOR
- ☐ FIRE ALARM CALL POINT
- FAP FIRE ALARM CONTROL PANEL
- ☐ FIRE ALARM BELL/SOUNDER
- △ CARBON DIOXIDE FIRE EXTINGUISHER
- △ 9 LITRE WATER FIRE EXTINGUISHER
- △ DRY POWDER FIRE EXTINGUISHER
- △ FOAM FIRE EXTINGUISHER
- △ FIRE BLANKET

ALL WALLS AND PARTITIONS TO BE MINIMUM HALF HOUR FIRE RESISTANCE.

EMERGENCY LIGHTING TO COMPLY WITH 2005 EDITION OF BS 5266 PART 1.

FIRE SAFETY RELATED SIGNS AND NOTICES TO COMPLY WITH THE HEALTH AND SAFETY (SAFETY SIGN AND SIGNAL) REGULATIONS 2005.

FIRE ALARM AND DETECTION SYSTEM TO BE INSTALLED TO BS 5839 PART 1 2002

FIRE FIGHTING EQUIPMENT TO COMPLY WITH BS 5306 WALL AND CEILING LININGS ARE TO BE CLASS 1 SURFACE SPREAD OF FLAME (AS DEFINED BY BS 476 PART 7) IN PUBLIC AREAS AND CLASS 0 IN ESCAPE ROUTES.

UPHOLSTERED SEAT FURNITURE TO SATISFY THE FOLLOWING


- IGNITION SOURCE (CIGARETTE TEST) AS SPECIFIED IN BS 5852 PART 1
- FIRE TEST FOR FURNITURE METHODS OF TEST FOR THE IGNITABILITY BY SMOKERS.
- BS 5852 PART 2 FIRE TEST FOR FURNITURE - METHODS OF TEST FOR THE IGNITABILITY OF UPHOLSTERED COMPOSITES FOR TESTING BY FLAMING SOURCE, MINIMUM TEST TO BE CRIB IGNITION SOURCE 5.

FABRICS THAT HAVE HAD A FLAME RETARDANT TREATMENT TO PASS THE WATER SOAK TEST AS DEFINED BY BS 5851 TEST CERTIFICATE TO BE SUBMITTED TO FIRE AUTHORITY.

CURTAINS AND DRAPES TO SATISFY TYPE B PERFORMANCE REQUIREMENTS TO BS 5867 PART 2.

ARTIFICIAL PLUACE AND DECORATIVE EFFECTS TO BE FIRE RETARDANT TO THE SATISFACTION OF THE FIRE AUTHORITY.

AREA FOR REGULATED ENTERTAINMENT / SALE BY RETAIL OF ALCOHOL / PROVISION OF LATE NIGHT REFRESHMENT



Brooklyn Chambers, 11 Goring Road,  
Worthing, West Sussex BN12 4AP  
+44 (0)1903 468 899 www.kdpa.co.uk

CLIENT	JD WETHERSPOON PLC		
PROJECT	PUB NO: 7668 UNIT F4, WHITELEY SHOPPING CENTRE FAREHAM		
DRAWING	PROPOSED LICENSING LAYOUT		
SCALE	DATE	DRAWN	
A21:100	FEB 2025	AKS	
PRODUCT No	DRAWING No	REVISION	
7916	L-01		

This page is intentionally left blank